

Taimset päritolu materjalist (sh. toiduainetest) ja seentest QuEChERS-meetodiga analüüsitava toimeainete, nende metaboliitide ja isomeeride nimekiri:

Kehtiv alates: 08.06.2020

Jrk. Nr.	Toimeaine	Alumine määramispiir, mg/kg	Laiend-määramatus, U %, k=2
	2,4-D (sum of 2,4-D, its salts, its esters and its conjugates, expressed as 2,4-D)	0.005	24
1.	2,4-D	0.005	24
2.	2,4-D 2-EHE	0.01	28
3.	2-phenylphenol (sum of 2-phenylphenol and its conjugates, expressed as 2-phenylphenol)	0.01	23
	Abamectin (sum of avermectin B1a, avermectin B1b and delta-8,9 isomer of avermectin B1a, expressed as avermectin B1a)	0.005	25
4.	Abamectin (sum of avermectin B1a, avermectin B1b, expressed as avermectin B1a)	0.005	25
5.	Acephate	0.005	33
6.	Acetamiprid	0.005	49
7.	Aclonifen	0.01	39
8.	Acrinathrin	0.01	23
	Aldicarb (sum of aldicarb, its sulfoxide and its sulfone, expressed as aldicarb)	0.005	28
9.	Aldicarb	0.005	17
10.	Aldicarb sulfone	0.005	24
11.	Aldicarb sulfoxide	0.005	28
	Aldrin and Dieldrin (Aldrin and dieldrin combined expressed as dieldrin)	0.005	35
12.	Aldrin	0.005	35
13.	Dieldrin	0.005	35
14.	Ametoctradin	0.005	11
15.	Amidosulfuron	0.005	32
16.	Amisulbrom	0.005	30
17.	Amitraz (amitraz including the metabolites containing the 2,4 -dimethylaniline moiety expressed as amitraz)	0.01	38
18.	Anthraquinone	0.01	30
19.	Atrazine	0.005	36
20.	Azinphos-ethyl	0.01	44
21.	Azinphos-methyl	0.005	23
22.	Azoxystrobin	0.005	48
23.	Benalaxyl including other mixtures of constituent isomers including benalaxyl-M (sum of isomers)	0.005	20
	Bentazone (Sum of bentazone, its salts and 6-hydroxy (free and conjugated) and 8-hydroxy bentazone (free and conjugated), expressed as bentazone)	0.005	16
24.	Bentazone	0.005	16
25.	Benzovindiflupyr	0.01	22
	Bifenazate (sum of bifenazate plus bifenazate-diazene expressed as bifenazate)	0.01	39
26.	Bifenazate	0.01	39

Taimset päritolu materjalist (sh. toiduainetest) ja seentest QuEChERS-meetodiga analüüsitava toimeainete, nende metaboliitide ja isomeeride nimekiri:

Kehtiv alates: 08.06.2020

Jrk. Nr.	Toimeaine	Alumine määramispiir, mg/kg	Laiend-määramatus, U %, k=2
27.	Bifenox	0.01	32
28.	Bifenthrin (sum of isomers)	0.01	40
29.	Biphenyl	0.01	42
30.	Bitertanol (sum of isomers)	0.01	34
31.	Bixafen	0.005	23
32.	Boscalid	0.01	32
33.	Bromophos-ethyl	0.005	30
34.	Bromophos-methyl	0.005	24
35.	Bromopropylate	0.01	39
36.	Bromuconazole (sum of diastereoisomers)	0.01	37
37.	Bupirimate	0.01	48
38.	Buprofezin	0.01	35
39.	Cadusafos	0.01	40
	Captan (Sum of captan and THPI, expressed as captan)	0.02	46
40.	Captan	0.02	46
41.	THPI	0.01	28
42.	Carbaryl	0.005	47
43.	Carbendazim and benomyl (sum of benomyl and carbendazim expressed as carbendazim)	0.005	38
44.	Carbetamide (sum of carbetamide and its S isomer)	0.005	28
	Carbofuran (sum of carbofuran (including any carbofuran generated from carbosulfan, benfuracarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran) ²	0.005	37
45.	Carbofuran generated from carbosulfan, benfuracarb or furathiocarb	0.005	37
46.	3-OH carbofuran	0.005	23
	Carboxin (carboxin plus its metabolites carboxin sulfoxide and oxycarboxin (carboxin sulfone), expressed as carboxin)	0.005	33
47.	Carboxin	0.005	33
48.	Chlorantraniliprole (DPX E-2Y45)	0.005	23
49.	Chlorbufam	0.01	32
50.	Chlorfenapyr	0.01	46
51.	Chlorfenvinphos	0.01	28
	Chloridazon (sum of chloridazon and chloridazon-desphenyl, expressed as chloridazon)	0.005	31
52.	Chloridazon	0.005	31
53.	Chlormephos	0.01	43
54.	Chlorobenzilate	0.01	35
55.	Chlorothalonil	0.01	49
56.	Chlorotoluron	0.005	21
57.	Chlorpropham	0.01	39
58.	Chlorpyrifos	0.01	37
59.	Chlorpyrifos-methyl	0.01	32

Taimset päritolu materjalist (sh. toiduainetest) ja seentest QuEChERS-meetodiga analüüsitava toimeainete, nende metaboliitide ja isomeeride nimekiri:

Kehtiv alates: 08.06.2020

Jrk. Nr.	Toimeaine	Alumine määramispiir, mg/kg	Laiend-määramatus, U %, k=2
60.	Chlorsulfuron	0.005	28
61.	Chlozolate	0.01	30
62.	Clofentezine	0.005	35
63.	Clomazone	0.005	27
64.	Clopyralid	0.05	28
65.	Cloquintocet-1-Mexyl	0.005	18
66.	Clothianidin	0.005	22
67.	Coumaphos	0.005	11
68.	Cyanazine	0.005	18
69.	Cyazofamid	0.005	26
	Cycloxydim including degradation and reaction products which can be determined as 3-(3-thianyl)glutaric acid S-dioxide (BH 517-TGSO ₂) and/or 3-hydroxy-3-(3-thianyl)glutaric acid S-dioxide (BH 517-5-OH-TGSO ₂) or methyl esters thereof, calculated in total as cycloxydim	0.005	45
70.	Cycloxydim	0.005	45
71.	Cyflufenamid: sum of cyflufenamid (Z-isomer) and its E-isomer	0.005	21
72.	Cyfluthrin (cyfluthrin including other mixtures of constituent isomers (sum of isomers))	0.01	34
73.	Cymiazol	0.005	24
74.	Cymoxanil	0.005	22
	Cypermethrin (cypermethrin including other mixtures of constituent isomers (sum of isomers))	0.01	37
75.	Cypermethrin	0.01	35
76.	Cypermethrin, alpha- (Alphamethrin)	0.01	37
77.	Cypermethrin, beta-	0.01	34
78.	Cypermethrin, zeta-	0.01	17
79.	Cyproconazole	0.005	25
80.	Cyprodinil	0.01	39
	DDT (sum of p,p'-DDT, o,p'-DDT, p-p'-DDE and p,p'-TDE (DDD) expressed as DDT)	0.005	37
81.	4,4-DDD	0.005	37
82.	4,4-DDE	0.005	34
83.	2,4-DDT	0.005	34
84.	4,4-DDT	0.005	35
85.	DEET	0.01	34
86.	Deltamethrin (cis-deltamethrin)	0.01	36
87.	Demeton-S-methyl	0.005	32
88.	Desmedipham	0.005	23
89.	Desmetryn	0.01	37
90.	Diazinon	0.01	44
91.	Dicamba	0.05	43
92.	Dichlofluanid	0.01	40

Taimset päritolu materjalist (sh. toiduainetest) ja seentest QuEChERS-meetodiga analüüsitava toimeainete, nende metaboliitide ja isomeeride nimekiri:

Kehtiv alates: 08.06.2020

Jrk. Nr.	Toimeaine	Alumine määramispiir, mg/kg	Laiend-määramatus, U %, k=2
	Dichlorprop (Sum of dichlorprop (including dichlorprop-P), its salts, esters and conjugates, expressed as dichlorprop)	0.005	30
93.	Dichlorprop	0.005	30
94.	Dichlorvos	0.05	31
95.	Diclofop (sum diclofop-methyl and diclofop acid expressed as diclofop-methyl)	0.005	18
96.	Dicloran	0.01	32
97.	Dicofol (sum of p, p' and o.p' isomers)	0.01	29
98.	Dicrotophos	0.005	28
99.	Diethofencarb	0.005	23
100.	Difenoconazole	0.01	36
101.	Diflubenzuron	0.005	27
102.	Diflufenican	0.01	30
103.	Dimethachlor	0.01	33
104.	Dimethenamid including other mixtures of constituent isomers including dimethenamid-P (sum of isomers)	0.01	31
105.	Dimethoate	0.005	32
106.	Dimethomorph (sum of isomers)	0.01	36
107.	Dimoxystrobin	0.01	22
108.	Diniconazole (sum of isomers)	0.01	34
	Dinocap (sum of dinocap isomers and their corresponding phenols expressed as dinocap)	0.005	24
109.	Dinocap	0.005	24
110.	Dinotefuran	0.005	31
111.	Diphenylamine	0.01	40
	Disulfoton (sum of disulfoton, disulfoton sulfoxide and disulfoton sulfone expressed as disulfoton)	0.01	35
112.	Disulfoton	0.01	35
113.	Diuron	0.005	23
114.	Dodine	0.005	12
115.	Emamectin benzoate B1a, expressed as emamectin	0.005	10
	Endosulfan (sum of alpha- and beta-isomers and endosulfan-sulphate expresses as endosulfan)	0.005	43
116.	Endosulfan, alpha-	0.005	43
117.	Endosulfan, beta-	0.005	37
118.	Endosulfan-sulfate	0.005	42
119.	Endrin	0.005	33
120.	EPN	0.01	25
121.	Epoxiconazole	0.01	48
122.	Ethametsulfuron-methyl	0.005	18
123.	Ethiofencarb	0.01	31
124.	Ethion	0.01	36
125.	Ethirimol	0.005	28

Taimset päritolu materjalist (sh. toiduainetest) ja seentest QuEChERS-meetodiga analüüsitava toimeainete, nende metaboliitide ja isomeeride nimekiri:

Kehtiv alates: 08.06.2020

Jrk. Nr.	Toimeaine	Alumine määramispiir, mg/kg	Laiend-määramatus, U %, k=2
	Ethofumesate (Sum of ethofumesate, 2-keto-ethofumesate, open-ring-2-keto-ethofumesate and its conjugate, expressed as ethofumesate)	0.005	30
126.	Ethofumesate	0.005	30
127.	Ethoprophos	0.01	24
128.	Etofenprox	0.005	14
129.	Etoxazole	0.01	30
130.	Etrimfos	0.01	30
131.	Famoxadone	0.01	22
132.	Fenamidone	0.01	34
	Fenamiphos (sum of fenamiphos and its sulphoxide and sulfone expressed as fenamiphos)	0.005	35
133.	Fenamiphos	0.005	18
134.	Fenamiphos-sulfone	0.005	14
135.	Fenamiphos-sulfoxide	0.005	35
136.	Fenarimol	0.01	39
137.	Fenazaquin	0.005	27
138.	Fenbuconazole	0.005	17
	Fenchlorphos (sum of fenchlorphos and fenchlorphos oxon expressed as fenchlorphos)	0.01	34
139.	Fenchlorphos	0.01	34
140.	Fenhexamid	0.01	43
141.	Fenitrothion	0.01	30
142.	Fenoxaprop-P	0.005	27
143.	Fenoxycarb	0.005	22
144.	Fenpropathrin	0.01	40
145.	Fenpropidin (sum of fenpropidin and its salts, expressed as fenpropidin)	0.01	42
146.	Fenpropimorph (sum of isomers)	0.01	37
147.	Fenpyrazamine	0.005	22
148.	Fenpyroximate	0.005	15
	Fenthion (fenthion and its oxigen analogue, their sulfoxides and sulfone expressed as parent)	0.01	31
149.	Fenthion	0.01	31
150.	Fenthion-sulfone	0.005	25
151.	Fenthion-sulfoxide	0.005	22
152.	Fenthion oxon	0.005	24
153.	Fenthion oxon sulfone	0.005	22
154.	Fenthion oxon sulfoxide	0.005	24
155.	Fenvalerate (any ratio of constituent isomers (RR, SS, RS & SR) including esfenvalerate)	0.01	37
	Fipronil (sum fipronil + sulfone metabolite (MB46136) expressed as fipronil) ³	0.005	25
156.	Fipronil	0.005	25
157.	Fipronil sulfone	0.005	18

Taimset päritolu materjalist (sh. toiduainetest) ja seentest QuEChERS-meetodiga analüüsitava toimeainete, nende metaboliitide ja isomeeride nimekiri:

Kehtiv alates: 08.06.2020

Jrk. Nr.	Toimeaine	Alumine määramispiir, mg/kg	Laiend-määramatus, U %, k=2
	Flonicamid (sum of flonicamid, TFNA and TFNG expressed as flonicamid)	0.005	21
158.	Flonicamid	0.005	21
159.	Florasulam	0.005	22
	Fluazifop-P (sum of all the constituent isomers of fluazifop, its esters and its conjugates, expressed as fluazifop)	0.01	32
160.	Fluazifop	0.005	25
161.	Fluazifop-P-buthyl	0.01	32
162.	Fluazinam	0.005	25
163.	Flubendiamide	0.005	18
164.	Flucythrinate (flucythrinate including other mixtures of constituent isomers (sum of isomers))	0.01	36
165.	Fludioxonil	0.005	36
166.	Flufenacet (sum of all compounds containing the N fluorophenyl-N-isopropyl moiety expressed as flufenacet equivalent)	0.005	18
167.	Flufenoxuron	0.005	32
168.	Fluopicolide	0.01	26
169.	Fluopyram	0.005	20
170.	Fluoxastrobin (sum of fluoxastrobin and its Z-isomer)	0.005	17
171.	Fluquinconazole	0.01	28
	Fluroxypyr (sum of fluroxypyr, its salts, its esters, and its conjugates, expressed as fluroxypyr)	0.005	37
172.	Fluroxypyr-meptyl	0.005	37
173.	Flusilazole	0.01	28
174.	Flutolanil	0.005	31
175.	Flutriafol	0.005	14
176.	Fluxapyroxad	0.005	17
	Folpet (sum of folpet and phtalimide, expressed as folpet)	0.01	49
177.	Folpet	0.01	49
178.	Foramsulfuron	0.005	31
179.	Formetanate: Sum of formetanate and its salts expressed as formetanate(hydrochloride)	0.01	12
180.	Formothion	0.01	40
181.	Fosthiazate	0.005	21
182.	Fuberidazole	0.005	27
	Haloxyfop (Sum of haloxyfop, its esters, salts and conjugates expressed as haloxyfop (sum of the R- and S- isomers at any ratio))	0.01	27
183.	Haloxyfop	0.005	22
184.	Haloxyfop-R-methylester	0.01	27
	Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	0.01	35

Taimset päritolu materjalist (sh. toiduainetest) ja seentest QuEChERS-meetodiga analüüsitava toimeainete, nende metaboliitide ja isomeeride nimekiri:

Kehtiv alates: 08.06.2020

Jrk. Nr.	Toimeaine	Alumine määramispiir, mg/kg	Laiend-määramatus, U %, k=2
185.	Heptachlor	0.01	35
186.	Heptachlorepoxyde, cis-	0.005	31
187.	Heptachlorepoxyde, trans-	0.005	33
188.	Heptenophos	0.01	35
189.	Hexachlorobenzene	0.005	48
190.	Hexachlorocyclohexane (HCH), alpha-isomer	0.005	29
191.	Hexachlorocyclohexane (HCH), beta-isomer	0.005	45
192.	Hexaconazole	0.01	33
193.	Hexaflumuron	0.005	34
194.	Hexythiazox	0.005	22
195.	Imazalil	0.01	39
196.	Imazapyr	0.005	33
197.	Imidacloprid	0.005	19
198.	Indoxacarb (sum of indoxacarb and its R enantiomer)	0.01	28
199.	Iodosulfuron-methyl (sum of iodosulfuron-methyl and its salts, expressed as iodosulfuron-methyl)	0.005	29
200.	Iprodione	0.01	42
201.	Iprovalicarb	0.005	50
202.	Isocarbophos	0.01	33
203.	Isofenphos	0.005	26
204.	Isofenphos-methyl	0.005	42
205.	Isoprothiolane	0.01	35
206.	Isoproturon	0.005	22
207.	Kresoxim-methyl	0.01	39
208.	Lambda-cyhalothrin (includes gamma-cyhalothrin) (sum of R,S and S,R isomers)	0.01	48
209.	Lenacil	0.005	22
210.	Lindane (Gamma-isomer of hexachlorocyclohexane (HCH))	0.005	26
211.	Linuron	0.005	27
212.	Lufenuron (any ratio of constituent isomers)	0.005	21
	Malathion (sum of malathion and malaaxon expressed as malathion)	0.01	50
213.	Malaoxon	0.01	40
214.	Malathion	0.01	50
215.	Mandipropamid (any ratio of constituent isomers)	0.005	21
	MCPA and MCPB (MCPA, MCPB including their salts, esters and conjugates expressed as MCPA)	0.005	28
216.	MCPA	0.005	28
217.	MCPB	0.005	25
218.	Mecarbam	0.01	33
219.	Mecoprop (sum of mecoprop-p and mecoprop expressed as mecoprop)	0.005	30
220.	Mefenpyr-Diethyl	0.01	20
221.	Mepanipyrim	0.005	23

Taimset päritolu materjalist (sh. toiduainetest) ja seentest QuEChERS-meetodiga analüüsitava toimeainete, nende metaboliitide ja isomeeride nimekiri:

Kehtiv alates: 08.06.2020

Jrk. Nr.	Toimeaine	Alumine määramispiir, mg/kg	Laiend-määramatus, U %, k=2
222.	Mesosulfuron-methyl	0.005	26
223.	Metaflumizone (sum of E- and Z- isomers)	0.005	32
224.	Metalaxyl and metalaxyl-M (metalaxyl including other mixtures of constituent isomers including metalaxyl-M (sum of isomers))	0.01	25
225.	Metamitron ¹	0.01	36
	Metazachlor (Sum of metabolites 479M04, 479M08 and 479M16, expressed as metazachlor)	0.01	31
226.	Metazachlor	0.01	31
227.	Metconazole (sum of isomers)	0.005	18
228.	Methacrifos	0.005	40
229.	Methamidophos	0.005	47
230.	Methidathion	0.01	25
	Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.005	32
231.	Methiocarb	0.005	32
232.	Methiocarb sulfone	0.005	16
233.	Methiocarb sulfoxide	0.005	23
234.	Methomyl	0.005	17
235.	Methoxyfenozide	0.005	16
236.	Metobromuron	0.005	29
237.	Metolachlor and S-metolachlor (metolachlor including other mixtures of constituent isomers including S-metolachlor (sum of isomers))	0.005	18
238.	Metrafenone	0.01	44
239.	Metribuzin ¹	0.01	41
240.	Metsulfuron-methyl	0.005	24
241.	Mevinphos (sum of E- and Z-isomers)	0.01	48
242.	Monocrotophos	0.005	16
243.	Monolinuron	0.005	23
244.	Myclobutanil	0.01	35
245.	Napropamide	0.01	35
246.	Nicosulfuron	0.005	29
247.	Nitenpyram	0.005	29
248.	Omethoate	0.005	29
249.	Oxadixyl	0.01	34
250.	Oxamyl	0.005	29
	Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0.005	24
251.	Demeton-S-methylsulfone	0.005	24
252.	Demeton-S-methylsulfoxid (oxydemeton-methyl)	0.005	22
253.	Paclobutrazol (sum of constituent isomers)	0.005	25
254.	Parathion	0.01	40

Taimset päritolu materjalist (sh. toiduainetest) ja seentest QuEChERS-meetodiga analüüsitava toimeainete, nende metaboliitide ja isomeeride nimekiri:

Kehtiv alates: 08.06.2020

Jrk. Nr.	Toimeaine	Alumine määramispiir, mg/kg	Laiend-määramatus, U %, k=2
	Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0.01	31
255.	Paraoxon-methyl	0.01	22
256.	Parathion-methyl	0.01	31
257.	Penconazole (sum of constituent isomers)	0.01	27
258.	Pencycuron	0.005	26
259.	Pendimethalin	0.01	37
260.	Penthiopyrad	0.005	11
261.	Permethrin (sum of isomers)	0.01	17
262.	Phenmedipham	0.005	26
263.	Phenthoate	0.01	25
	Phorate (sum of phorate, its oxygen analogue and their sulfones expressed as phorate)	0.01	41
264.	Phorate	0.01	41
265.	Phosalone	0.01	27
	Phosmet (phosmet and phosmet oxon expressed as phosmet)	0.01	28
266.	Phosmet	0.01	28
267.	Phosmet oxon	0.005	14
268.	Phosphamidone	0.01	33
269.	Phoxim	0.005	23
270.	Picloram	0.05	46
271.	Picolinafen	0.01	35
272.	Picoxystrobin	0.01	40
273.	Pinoxaden	0.005	27
274.	Piperonyl butoxide	0.005	23
275.	Pirimicarb	0.01	41
276.	Pirimiphos-methyl	0.01	38
	Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	0.01	40
277.	Prochloraz	0.01	39
278.	2,4,6-Trichlorophenol	0.01	40
279.	Procymidone	0.01	37
280.	Profenofos	0.01	30
281.	Prometryn	0.01	24
	Propachlor: oxalinic derivate of propachlor, expressed as propachlor	0.01	41
282.	Propachlor	0.01	41
283.	Propamocarb (Sum of propamocarb and its salts, expressed as propamocarb)	0.005	18
284.	Propargite	0.01	28
285.	Propazine	0.005	22
286.	Propham	0.05	20
287.	Propiconazole (sum of isomers)	0.01	48

Taimset päritolu materjalist (sh. toiduainetest) ja seentest QuEChERS-meetodiga analüüsitava toimeainete, nende metaboliitide ja isomeeride nimekiri:

Kehtiv alates: 08.06.2020

Jrk. Nr.	Toimeaine	Alumine määramispiir, mg/kg	Laiend-määramatus, U %, k=2
288.	Propoxur	0.005	24
289.	Propoxycarbazon (propoxycarbazon, its salts and 2-hydroxypropoxycarbazon expressed as propoxycarbazon)	0.005	27
290.	Propyzamide	0.01	40
291.	Proquinazid	0.01	15
292.	Prosulfocarb	0.005	10
293.	Prothioconazole: prothioconazole-desthio (sum of isomers)	0.005	30
294.	Prothiophos	0.01	25
295.	Pymetrozine ¹	0.005	18
296.	Pyraclostrobin	0.01	48
297.	Pyrazophos	0.01	37
298.	Pyridaben	0.005	18
	Pyridate (sum of pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-phenylpyridazin) and hydrolysable conjugates of CL 9673 expressed as pyridate)	0.005	32
299.	Pyridate	0.005	32
300.	Pyrimethanil	0.01	45
301.	Pyriofenone	0.005	21
302.	Pyriproxifen	0.005	36
303.	Pyroxsulam	0.005	26
304.	Quinalphos	0.01	41
305.	Quinclorac	0.005	41
306.	Quinmerac	0.005	36
307.	Quinoxifen	0.01	49
	Quintozene (sum of quintozene and pentachloro-aniline expressed as quintozene)	0.005	32
308.	Quintozene	0.005	32
	Quizalofop (sum of quizalofop, its salts, its esters (including propaquizalofop) and its conjugates, expressed as quizalofop (any ratio of constituent isomers))	0.01	31
309.	Quizalofop-ethyl	0.005	24
310.	Quizalofop-P-tefuryl	0.01	31
311.	Propaquizalofop	0.005	26
312.	Rimsulfuron	0.005	31
313.	Sedaxane	0.01	32
314.	Silthiofam	0.01	27
315.	Simazine	0.01	43
316.	Spinosad (spinosad, sum of spinosyn A and spinosyn D)	0.005	18
317.	Spirodiclofen	0.005	26
318.	Spiromesifen	0.005	21

Taimset päritolu materjalist (sh. toiduainetest) ja seentest QuEChERS-meetodiga analüüsitava toimeainete, nende metaboliitide ja isomeeride nimekiri:

Kehtiv alates: 08.06.2020

Jrk. Nr.	Toimeaine	Alumine määramispiir, mg/kg	Laiend-määramatus, U %, k=2
	Spirotetramat and its 4 metabolites BYI08330-enol, BYI08330-ketohydroxy, BYI08330-monohydroxy, and BYI08330 enol-glucoside, expressed as spirotetramat	0.005	23
319.	Spirotetramat	0.005	23
320.	Spiroxamine (sum of isomers)	0.005	22
321.	Sulfosulfuron	0.005	26
322.	Tau-Fluvalinate	0.01	23
323.	Tebuconazole	0.01	34
324.	Tebufenozide	0.005	22
325.	Tebufenpyrad	0.005	17
326.	Tecnazene	0.005	47
327.	Teflubenzuron	0.005	28
328.	Tefluthrin	0.01	34
329.	Terbutryn	0.01	31
330.	Terbuthylazine	0.005	25
331.	Tetraconazole	0.01	24
332.	Tetradifon	0.01	39
333.	Tetramethrin	0.005	19
334.	Thiabendazole	0.005	26
335.	Thiacloprid	0.005	25
336.	Thiamethoxam	0.005	19
337.	Thiencarbazone-Methyl	0.005	42
338.	Thifensulfuron-methyl	0.005	15
339.	Thiodicarb	0.005	37
340.	Thiophanate-methyl ¹	0.01	15
341.	Thiometon	0.01	46
342.	Tolclofos-methyl	0.01	37
343.	Tolfenpyrad	0.005	29
	Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	0.01	38
344.	Tolyfluanid	0.01	38
345.	DMST (dimethylaminosulfotoluidide)	0.005	27
346.	Tralkoxydim (sum of the constituent isomers of tralkoxydim)	0.005	30
347.	Triadimefon	0.01	40
348.	Triadimenol (any ratio of constituent isomers)	0.01	30
349.	Triasulfuron	0.005	26
350.	Triazamate	0.01	36
351.	Triazophos	0.01	38
352.	Trichlorfon	0.005	30
353.	Tricyclazole	0.005	25
354.	Trifloxystrobin	0.01	33
355.	Triflumuron	0.005	41
356.	Trifluralin	0.005	21

Taimset päritolu materjalist (sh. toiduainetest) ja seentest QuEChERS-meetodiga analüüsitava toimeainete, nende metaboliitide ja isomeeride nimekiri:

Kehtiv alates: 08.06.2020

Jrk. Nr.	Toimeaine	Alumine määramispiir, mg/kg	Laiend-määramatus, U %, k=2
357.	Triforine	0.005	26
358.	Trinexapac (sum of trinexapac (acid) and its salts, expressed as trinexapac)	0.005	28
359.	Triticonazole	0.01	37
360.	Tritosulfuron	0.005	26
361.	Vinclozolin	0.01	37
362.	Zoxamide	0.01	28

Märkused:

1 – Jäägi leidmisel arvestatakse saagisega

2 - alumine määramispiir < MRL järgmiste maatriksite puhul: tsitruselised, marjad (va. viinamarjad), kiivi, viigimari, banaan, avokaado, papaia, mango, melon, kõrvits, arbuus, spinatilised, liblikõielised köögiviljad, teraviljad.

3 - summaarse fipronili määramisel on alumine määramispiir < MRL järgmiste maatriksite puhul: kartul, sibul, pärlsibul, brokkoli, lillkapsas, rooskapsas, peakapsa eri vormid, porru.