

Rapsi ja rüpsi seemnetest QuEChERS-meetodiga analüüsitavate toimeainete, nende metaboliitide ja isomeeride nimekiri:

Kehtiv alates: 12.06.2020

Jrk nr	Toimeaine	Alumine määramispiir, mg/kg	Laiendmääramatus määramispiiril, U %, k=2
	2,4-D (sum of 2,4-D, its salts, its esters and its conjugates, expressed as 2,4-D)	0,02	13
1.	2,4-D	0,02	13
2.	2,4-D 2-EHE	0,2	48
3.	2-phenylphenol (sum of 2-phenylphenol and its conjugates, expressed as 2-phenylphenol)	0,04	16
	Abamectin (sum of avermectin B1a, avermectin B1b and delta-8,9 isomer of avermectin B1a, expressed as avermectin B1a)	0,02	11
4.	Abamectin (sum of avermectin B1a, avermectin B1b , expressed as avermectin B1a)	0,02	11
5.	Acephate	0,01	9
6.	Acetamiprid	0,01	8
7.	Aclonifen	0,04	17
8.	Acrinathrin	0,04	29
	Aldicarb (sum of aldicarb, its sulfoxide and its sulfone, expressed as aldicarb)	0,01	15
9.	Aldicarb	0,01	15
10.	Aldicarb sulfoxide	0,01	12
	Aldrin and Dieldrin (Aldrin and dieldrin combined expressed as dieldrin)	0,02	23
11.	Aldrin	0,02	14
12.	Dieldrin	0,02	23
13.	Ametoctradin	0,01	12
14.	Amidosulfuron	0,02	21
15.	Amisulbrom	0,02	16
16.	Amitraz (amitraz including the metabolites containing the 2,4 -dimethylaniline moiety expressed as amitraz)	0,02	14
17.	Atrazine	0,04	20
18.	Azinphos-ethyl	0,2	18
19.	Azinphos-methyl	0,01	14
20.	Azoxystrobin	0,01	10
21.	Benalaxyl including other mixtures of constituent isomers including benalaxyl-M (sum of isomers)	0,01	10
	Bentazone (Sum of bentazone, its salts and 6-hydroxy (free and conjugated) and 8-hydroxy bentazone (free and conjugated), expressed as bentazone)	0,02	8
22.	Bentazone	0,02	8
23.	Benzovindiflupyr	0,01	50
24.	Bifenazate (sum of bifenazate plus bifenazate-diazene expressed as bifenazate)	0,02	50

Rapsi ja rüpsi seemnetest QuEChERS-meetodiga analüüsitavate toimeainete, nende metaboliitide ja isomeeride nimekiri:

Kehtiv alates: 12.06.2020

Jrk nr	Toimeaine	Alumine määramispiir, mg/kg	Laiendmääramatus määramispiiril, U %, k=2
25.	Bifenazate	0,02	50
26.	Bifenox	0,2	26
27.	Bifenthrin (sum of isomers)	0,04	31
28.	Biphenyl	0,04	15
29.	Bitertanol (sum of isomers)	0,2	11
30.	Bixafen	0,01	17
31.	Boscalid	0,04	35
32.	Bromophos-ethyl	0,02	11
33.	Bromophos-methyl	0,02	14
34.	Bromopropylate	0,04	23
35.	Bromuconazole (sum of diastereoisomers)	0,2	23
36.	Bupirimate	0,04	25
37.	Buprofezin	0,04	20
38.	Cadusafos	0,04	20
39.	Carbaryl	0,01	50
40.	Carbendazim and benomyl (sum of benomyl and carbendazim expressed as carbendazim)	0,02	8
41.	Carbetamide (sum of carbetamide and its S isomer)	0,01	8
	Carbofuran (sum of carbofuran (including any carbofuran generated from carbosulfan, benfuracarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran)	0,02	23
42.	Carbofuran generated from carbosulfan, benfuracarb or furathiocarb	0,01	23
43.	3-OH carbofuran	0,02	12
	Carboxin (carboxin plus its metabolites carboxin sulfoxide and oxycarboxin (carboxin sulfone), expressed as carboxin)	0,02	11
44.	Carboxin	0,02	11
45.	Chlorantraniliprole (DPX E-2Y45)	0,01	8
46.	Chlorfenapyr	0,2	3
47.	Chlorfenvinphos	0,04	21
	Chloridazon (sum of chloridazon and chloridazon-desphenyl, expressed as chloridazon)	0,02	14
48.	Chloridazon	0,02	14
49.	Chlormephos	0,04	30
50.	Chlorobenzilate	0,04	24
51.	Chlorotoluron	0,01	6
52.	Chlorpropham	0,04	31
53.	Chlorpyrifos	0,04	9
54.	Chlorpyrifos-methyl	0,04	25
55.	Chlorsulfuron	0,02	17
56.	Chlozolinate	0,04	30

Rapsi ja rüpsi seemnetest QuEChERS-meetodiga analüüsitavate toimeainete, nende metaboliitide ja isomeeride nimekiri:

Kehtiv alates: 12.06.2020

Jrk nr	Toimeaine	Alumine määramispiir, mg/kg	Laiendmääramatus määramispiiril, U %, k=2
57.	Clomazone	0,01	10
58.	Clopyralid	0,2	11
59.	Clothianidin	0,02	10
60.	Coumaphos	0,01	6
61.	Cyanazine	0,01	50
62.	Cyazofamid	0,02	7
	Cycloxydim including degradation and reaction products which can be determined as 3-(3-thianyl)glutaric acid S-dioxide (BH 517-TGSO ₂) and/or 3-hydroxy-3-(3-thianyl)glutaric acid S-dioxide (BH 517-5-OH-TGSO ₂) or methyl esters thereof, calculated in total as cycloxydim	0,02	10
63.	Cycloxydim	0,02	10
64.	Cyflufenamid: sum of cyflufenamid (Z-isomer) and its E-isomer	0,01	17
65.	Cyfluthrin (cyfluthrin including other mixtures of constituent isomers (sum of isomers))	0,04	38
66.	Cymiazol	0,02	9
67.	Cymoxanil	0,01	11
	Cypermethrin (cypermethrin including other mixtures of constituent isomers (sum of isomers))	0,2	37
68.	Cypermethrin	0,2	23
69.	Cypermethrin, <i>alpha</i> - (Alphamethrin)	0,04	25
70.	Cypermethrin, <i>beta</i> -	0,2	37
71.	Cypermethrin, <i>zeta</i> -	0,2	50
72.	Cyproconazole	0,02	9
73.	Cyprodinil	0,04	37
	DDT (sum of p,p'-DDT, o,p'-DDT, p-p'-DDE and p,p'-TDE (DDD) expressed as DDT)	0,1	37
74.	4,4-DDD	0,02	21
75.	4,4-DDE	0,02	25
76.	2,4-DDT	0,1	3
77.	4,4-DDT	0,1	37
78.	Deltamethrin (cis-deltamethrin)	0,2	31
79.	Demeton-S-methyl	0,01	14
80.	Desmedipham	0,01	8
81.	Desmetryn	0,04	28
82.	Diazinon	0,04	19
83.	Dicamba	0,05	8
	Dichlorprop (Sum of dichlorprop (including dichlorprop-P), its salts, esters and conjugates, expressed as dichlorprop)	0,02	15
84.	Dichlorprop	0,02	15
85.	Dichlorvos	0,05	13

Rapsi ja rüpsi seemnetest QuEChERS-meetodiga analüüsitavate toimeainete, nende metaboliitide ja isomeeride nimekiri:

Kehtiv alates: 12.06.2020

Jrk nr	Toimeaine	Alumine määramispiir, mg/kg	Laiendmääramatus määramispiiril, U %, k=2
86.	Diclofop (sum diclofop-methyl and diclofop acid expressed as diclofop-methyl)	0,02	14
87.	Dicloran	0,04	18
88.	Dicofol (sum of p, p' and o,p' isomers)	0,04	25
89.	Dicrotophos	0,01	13
90.	Diethofencarb	0,01	9
91.	Difenoconazole	0,04	28
92.	Diflubenzuron	0,02	14
93.	Diflufenican	0,04	22
94.	Dimethachlor	0,04	19
95.	Dimethoate	0,01	10
96.	Dimethomorph (sum of isomers)	0,01	8
97.	Dimoxystrobin	0,04	41
	Dinocap (sum of dinocap isomers and their corresponding phenols expressed as dinocap)	0,02	15
98.	Dinocap	0,02	15
99.	Dinotefuran	0,01	10
100.	Diphenylamine	0,04	15
	Disulfoton (sum of disulfoton, disulfoton sulfoxide and disulfoton sulfone expressed as disulfoton)	0,04	15
101.	Disulfoton	0,04	15
102.	Diuron	0,01	7
103.	Dodine	0,02	36
104.	Emamectin benzoate B1a, expressed as emamectin	0,01	50
	Endosulfan (sum of alpha- and beta-isomers and endosulfan-sulphate expressed as endosulfan)	0,2	43
105.	Endosulfan, alpha-	0,1	43
106.	Endosulfan, beta-	0,1	23
107.	Endosulfan-sulfate	0,2	24
108.	Endrin	0,02	21
109.	EPN	0,04	24
110.	Epoconazole	0,02	9
111.	Ethametsulfuron-methyl	0,01	50
112.	Ethiofencarb	0,01	11
113.	Ethion	0,2	13
114.	Ethirimol	0,02	14
	Ethofumesate (Sum of ethofumesate, 2-keto-ethofumesate, open-ring-2-keto-ethofumesate and its conjugate, expressed as ethofumesate)	0,02	17
115.	Ethofumesate	0,02	17
116.	Ethoprophos	0,04	23
117.	Etofenprox	0,02	22
118.	Etoazole	0,02	50

Rapsi ja rüpsi seemnetest QuEChERS-meetodiga analüüsitavate toimeainete, nende metaboliitide ja isomeeride nimekiri:

Kehtiv alates: 12.06.2020

Jrk nr	Toimeaine	Alumine määramispiir, mg/kg	Laiendmääramatus määramispiiril, U %, k=2
119.	Etrimfos	0,04	20
120.	Famoxadone	0,04	30
121.	Fenamidone	0,04	26
	Fenamiphos (sum of fenamiphos and its sulphoxide and sulphone expressed as fenamiphos)	0,01	11
122.	Fenamiphos	0,01	8
123.	Fenamiphos-sulfone	0,01	8
124.	Fenamiphos-sulfoxide	0,01	11
125.	Fenarimol	0,04	35
126.	Fenazaquin	0,02	33
127.	Fenbuconazole	0,01	11
	Fenchlorphos (sum of fenchlorphos and fenchlorphos oxon expressed as fenchlorphos)	0,04	22
128.	Fenchlorphos	0,04	22
129.	Fenhexamid	0,2	10
130.	Fenoxaprop-P	0,01	9
131.	Fenoxycarb	0,02	7
132.	Fenpropathrin	0,2	8
133.	Fenpropidin (sum of fenpropidin and its salts, expressed as fenpropidin)	0,2	3
134.	Fenpropimorph (sum of isomers)	0,04	22
135.	Fenpyroximate	0,01	13
	Fenthion (fenthion and its oxigen analogue, their sulfoxides and sulfone expressed as parent)	0,04	24
136.	Fenthion	0,04	24
137.	Fenthion-sulfone	0,02	12
138.	Fenthion-sulfoxide	0,01	13
139.	Fenthion oxon	0,01	10
140.	Fenthion oxon sulfone	0,02	6
141.	Fenthion oxon sulfoxide	0,01	16
142.	Fenvalerate (any ratio of constituent isomers (RR, SS, RS & SR) including esfenvalerate)	0,2	48
	Fipronil (sum fipronil + sulfone metabolite (MB46136) expressed as fipronil)	0,04	27
143.	Fipronil	0,02	27
144.	Fipronil sulfone	0,04	20
	Flonicamid (sum of flonicamid, TFNA and TFNG expressed as flonicamid)	0,01	11
145.	Flonicamid	0,01	11
146.	Florasulam	0,02	18
	Fluazifop-P (sum of all the constituent isomers of fluazifop, its esters and its conjugates, expressed as fluazifop)	0,04	40

Rapsi ja rüpsi seemnetest QuEChERS-meetodiga analüüsitavate toimeainete, nende metaboliitide ja isomeeride nimekiri:

Kehtiv alates: 12.06.2020

Jrk nr	Toimeaine	Alumine määramispiir, mg/kg	Laiendmääramatus määramispiiril, U %, k=2
147.	Fluazifop	0,02	22
148.	Fluazifop-P-buthyl	0,04	40
149.	Fluazinam	0,02	14
150.	Flubendiamide	0,02	32
151.	Flucythrinate (flucythrinate including other mixtures of constituent isomers (sum of isomers))	0,04	30
152.	Fludioxonil	0,01	11
153.	Flufenacet (sum of all compounds containing the N fluorophenyl-N-isopropyl moiety expressed as flufenacet equivalent)	0,01	6
154.	Flufenoxuron	0,02	12
155.	Fluopicolide	0,04	19
156.	Fluopyram	0,01	7
157.	Fluoxastrobin (sum of fluoxastrobin and its Z-isomer)	0,04	19
158.	Fluquinconazole	0,04	28
	Fluroxypyr (sum of fluroxypyr, its salts, its esters, and its conjugates, expressed as fluroxypyr)	0,02	41
159.	Fluroxypyr-meptyl	0,02	41
160.	Flusilazole	0,04	27
161.	Flutolanil	0,01	11
162.	Flutriafol	0,02	13
163.	Fluxapyroxad	0,01	6
164.	Foramsulfuron	0,01	15
165.	Formothion	0,2	16
166.	Fosthiazate	0,01	8
167.	Fuberidazole	0,02	7
	Haloxyfop (Sum of haloxyfop, its esters, salts and conjugates expressed as haloxyfop (sum of the R- and S- isomers at any ratio))	0,04	34
168.	Haloxyfop	0,02	16
169.	Haloxyfop-R-methylester	0,04	34
	Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	0,04	31
170.	Heptachlor	0,04	31
171.	Heptachlorepoxyde, cis-	0,02	25
172.	Heptachlorepoxyde, trans-	0,02	13
173.	Heptenophos	0,04	17
174.	Hexachlorocyclohexane (HCH), alpha-isomer	0,1	29
175.	Hexachlorocyclohexane (HCH), beta-isomer	0,1	37
176.	Hexaflumuron	0,02	22
177.	Hexythiazox	0,02	23
178.	Imazalil	0,2	27

Rapsi ja rüpsi seemnetest QuEChERS-meetodiga analüüsitavate toimeainete, nende metaboliitide ja isomeeride nimekiri:

Kehtiv alates: 12.06.2020

Jrk nr	Toimeaine	Alumine määramispiir, mg/kg	Laiendmääramatus määramispiiril, U %, k=2
179.	Imazapyr	0,02	19
180.	Imidacloprid	0,02	8
181.	Iodosulfuron-methyl (sum of iodosulfuron-methyl and its salts, expressed as iodosulfuron-methyl)	0,02	14
182.	Iprovalicarb	0,01	8
183.	Isofenphos	0,02	16
184.	Isofenphos-methyl	0,02	13
185.	Isoprothiolane	0,2	22
186.	Isoproturon	0,01	8
187.	Kresoxim-methyl	0,04	34
188.	Lambda-cyhalothrin (includes gamma-cyhalothrin) (sum of R,S and S,R isomers)	0,04	23
189.	Lenacil	0,01	13
190.	Lindane (Gamma-isomer of hexachlorocyclohexane (HCH))	0,04	15
191.	Linuron	0,01	13
192.	Lufenuron (any ratio of constituent isomers)	0,02	12
	Malathion (sum of malathion and malaaxon expressed as malathion)	0,04	22
193.	Malaaxon	0,04	22
194.	Mandipropamid (any ratio of constituent isomers)	0,01	13
	MCPA and MCPB (MCPA, MCPB including their salts, esters and conjugates expressed as MCPA)	0,02	18
195.	MCPA	0,02	15
196.	MCPB	0,02	18
197.	Mecarbam	0,04	31
198.	Mecoprop (sum of mecoprop-p and mecoprop expressed as mecoprop)	0,02	20
199.	Mefenpyr-Diethyl	0,02	50
200.	Mepanipyrim	0,02	8
201.	Mesosulfuron-methyl	0,01	9
202.	Metaflumizone (sum of E- and Z- isomers)	0,02	11
203.	Metalaxyl and metalaxyl-M (metalaxyl including other mixtures of constituent isomers including metalaxyl-M (sum of isomers))	0,01	5
204.	Metamitron	0,02	12
	Metazachlor (Sum of metabolites 479M04, 479M08 and 479M16, expressed as metazachlor)	0,04	29
205.	Metazachlor	0,04	29
206.	Metconazole (sum of isomers)	0,02	22
207.	Methacrifos	0,02	20

Rapsi ja rüpsi seemnetest QuEChERS-meetodiga analüüsitavate toimeainete, nende metaboliitide ja isomeeride nimekiri:

Kehtiv alates: 12.06.2020

Jrk nr	Toimeaine	Alumine määramispiir, mg/kg	Laiendmääramatus määramispiiril, U %, k=2
208.	Methamidophos	0,01	8
	Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0,01	9
209.	Methiocarb	0,01	9
210.	Methiocarb sulfone	0,01	8
211.	Methiocarb sulfoxide	0,01	7
212.	Methomyl	0,02	15
213.	Methoxyfenozide	0,01	7
214.	Metobromuron	0,01	18
215.	Metolachlor and S-metolachlor (metolachlor including other mixtures of constituent isomers including S-metolachlor (sum of isomers))	0,01	16
216.	Metrafenone	0,04	49
217.	Metribuzin	0,01	16
218.	Metsulfuron-methyl	0,02	19
219.	Mevinphos (sum of E- and Z-isomers)	0,04	9
220.	Monolinuron	0,01	13
221.	Myclobutanil	0,04	19
222.	Nicosulfuron	0,02	19
223.	Omethoate	0,01	9
224.	Oxadixyl	0,2	15
225.	Oxamyl	0,02	18
	Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0,01	17
226.	Demeton-S-methylsulfone	0,01	13
227.	Demeton-S-methylsulfoxid (oxydemeton-methyl)	0,01	17
228.	Paclobutrazol (sum of constituent isomers)	0,01	16
229.	Parathion	0,04	19
	Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0,2	33
230.	Paraoxon-methyl	0,2	8
231.	Parathion-methyl	0,2	33
232.	Penconazole (sum of constituent isomers)	0,04	18
233.	Pencycuron	0,01	9
234.	Pendimethalin	0,2	28
235.	Penthiopyrad	0,01	12
236.	Permethrin (sum of isomers)	0,04	22
237.	Phenmedipham	0,02	16
	Phorate (sum of phorate, its oxygen analogue and their sulfones expressed as phorate)	0,04	17
238.	Phorate	0,04	17

Rapsi ja rüpsi seemnetest QuEChERS-meetodiga analüüsitavate toimeainete, nende metaboliitide ja isomeeride nimekiri:

Kehtiv alates: 12.06.2020

Jrk nr	Toimeaine	Alumine määramispiir, mg/kg	Laiendmääramatus määramispiiril, U %, k=2
239.	Phosalone	0,2	10
	Phosmet (phosmet and phosmet oxon expressed as phosmet)	0,2	24
240.	Phosmet	0,2	24
241.	Phosmet oxon	0,01	6
242.	Phosphamidone	0,2	18
243.	Phoxim	0,02	12
244.	Picloram	0,2	9
245.	Picolinafen	0,04	26
246.	Picoxystrobin	0,04	17
247.	Pinoxaden	0,01	12
248.	Piperonyl butoxide	0,01	10
249.	Pirimicarb	0,04	21
250.	Pirimiphos-methyl	0,04	12
	Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	0,2	27
251.	Prochloraz	0,2	27
252.	2,4,6-Trichlorophenol	0,04	5
253.	Procymidone	0,04	19
254.	Profenofos	0,04	33
255.	Prometryn	0,2	15
	Propachlor: oxalinic derivat of propachlor, expressed as propachlor	0,04	14
256.	Propachlor	0,04	14
257.	Propamocarb (Sum of propamocarb and its salts, expressed as propamocarb)	0,02	15
258.	Propargite	0,2	49
259.	Propazine	0,01	9
260.	Propiconazole (sum of isomers)	0,04	32
261.	Propoxur	0,01	8
262.	Propoxycarbazon (propoxycarbazon, its salts and 2-hydroxypropoxycarbazon expressed as propoxycarbazon)	0,01	17
263.	Propyzamide	0,04	30
264.	Proquinazid	0,01	50
265.	Prosulfocarb	0,01	9
266.	Prothioconazole: prothioconazole-desthio (sum of isomers)	0,02	11
267.	Prothiophos	0,2	40
268.	Pymetrozine	0,02	6
269.	Pyraclostrobin	0,04	25

Rapsi ja rüpsi seemnetest QuEChERS-meetodiga analüüsitavate toimeainete, nende metaboliitide ja isomeeride nimekiri:

Kehtiv alates: 12.06.2020

Jrk nr	Toimeaine	Alumine määramispiir, mg/kg	Laiendmääramatus määramispiiril, U %, k=2
270.	Pyrazophos	0,2	9
	Pyridate (sum of pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-phenylpyridazin) and hydrolysable conjugates of CL 9673 expressed as pyridate)	0,02	21
271.	Pyridate	0,02	21
272.	Pyrimethanil	0,04	9
273.	Pyriofenone	0,01	50
274.	Pyriproxyfen	0,01	16
275.	Pyroxsulam	0,02	18
276.	Quinalphos	0,04	16
277.	Quinmerac	0,02	36
278.	Quinoxifen	0,04	11
	Quintozene (sum of quintozene and pentachloro-aniline expressed as quintozene)	0,02	21
279.	Quintozene	0,02	21
	Quizalofop (sum of quizalofop, its salts, its esters (including propaquizafop) and its conjugates, expressed as quizalofop (any ratio of constituent isomers))	0,04	22
280.	Quizalofop-ethyl	0,02	12
281.	Quizalofop-P-tefuryl	0,04	22
282.	Propaquizafop	0,01	9
283.	Rimsulfuron	0,02	14
284.	Sedaxane	0,2	50
285.	Spinosad (spinosad, sum of spinosyn A and spinosyn D)	0,01	12
286.	Spirodiclofen	0,02	16
287.	Spiromesifen	0,01	12
	Spirotetramat and its 4 metabolites BYI08330-enol, BYI08330-ketohydroxy, BYI08330-monohydroxy, and BYI08330 enol-glucoside, expressed as spirotetramat	0,01	50
288.	Spirotetramat	0,01	50
289.	Spiroxamine (sum of isomers)	0,01	16
290.	Sulfosulfuron	0,01	9
291.	Tau-Fluvalinate	0,2	38
292.	Tebuconazole	0,02	12
293.	Tebufenozide	0,01	12
294.	Tebufenpyrad	0,02	7
295.	Tecnazene	0,02	31
296.	Teflubenzuron	0,02	19
297.	Tefluthrin	0,04	30
298.	Terbutylazine	0,01	7

Rapsi ja rüpsi seemnetest QuEChERS-meetodiga analüüsitavate toimeainete, nende metaboliitide ja isomeeride nimekiri:

Kehtiv alates: 12.06.2020

Jrk nr	Toimeaine	Alumine määramispiir, mg/kg	Laiendmääramatus määramispiiril, U %, k=2
299.	Tetraconazole	0,04	17
300.	Tetradifon	0,04	32
301.	Tetramethrin	0,01	14
302.	Thiabendazole	0,02	10
303.	Thiacloprid	0,01	9
304.	Thiamethoxam	0,01	24
305.	Thiencarbazone-Methyl	0,02	50
306.	Thifensulfuron-methyl	0,01	8
307.	Thiometon	0,04	17
308.	Tolclofos-methyl	0,04	17
309.	Tolfenpyrad	0,01	50
	Tolylfluanid (Sum of tolylfluanid and dimethyl-aminosulfotoluidide expressed as tolylfluanid)	0,02	15
310.	DMST	0,02	15
311.	Tralkoxydim (sum of the constituent isomers of tralkoxydim)	0,01	17
312.	Triadimefon	0,04	38
313.	Triasulfuron	0,01	17
314.	Triazophos	0,2	54
315.	Trichlorfon	0,02	20
316.	Tricyclazole	0,01	13
317.	Trifloxystrobin	0,04	21
318.	Triflumuron	0,02	16
319.	Trifluralin	0,02	32
320.	Triforine	0,02	6
321.	Trinexapac (sum of trinexapac (acid) and its salts, expressed as trinexapac)	0,01	15
322.	Triticonazole	0,04	21
323.	Vinclozolin	0,04	22
324.	Zoxamide	0,2	26